

Salida Industry CO.,LTD.

SL-948 Mini-belt Sander

Dry Metal Deburring Sander



SL - 948

Specification

Model	SL-948
Max. Working Width	9'' (228.6 mm)
Max. Work-pieces thickness	3.74'' (95 mm)
Min. Work-pieces thickness	0.039'' (1 mm)
Min. Work-pieces Length	5.71'' (145 mm)
Speed of wheel	1476 FPM
Main Motor	5 HP (3.72 KW)
Feed motor	1/4 HP (0.18 KW)
Speed of feed	Inverter: 6~16fpm/Single speed: 14FPM
Machine dimension	91 x 71 x 185 cm

We have extensive experience specializing in the production of woodworking and metalworking
We offer OEM & ODM services. Feel free to contact us if you are interested!machines.


+886 4 2561 9333 | <https://salidatek.com> | Email: sander@salidatek.com

Product Features


SL-948

This mini belt sander can carry on the industrial environment with easy operation and consistent deburring quality. It can do Deburring and Straight Grain Finish. It is suitable for small workshops and light-duty industrial purposes.


Deburring



Hair-line finishing



Polishing



Excellent for cleaning and finishing, reduce surface roughness, polish weld, or use to apply cosmetic grain or scratch patterns

Accessories



● Abrasive belt



● Non-woven belt



Access door for changing the abrasive belt

Opening it to change the abrasive
belt or maintain the machine.



Salida Industry CO.,LTD.

No.48, Lane 276, Guangfu Rd., Shengang Dist., Taichung City,
Taiwan 429, R.O.C.

Contact Us

TEL: +886 4 2561 9333

FAX: +886 4 2561 0612

Website: <https://salidatek.com>

Email: sander@salidatek.com